


Play just about anything..... on your TV



High Definition Multimedia Player

MEDE8R™

Small size big performance



MED200X

The MED200X was developed by Sanji for those who demand the very best in picture and audio in a small and neat package. The MED200X offers a very low cost solution for users who want a compact Media Player that is ideal for the hosting of SD Cards, external USB Hard Drives, Travel and In Car Entertainment.



- Fanless design
- Metal chassis - solid design
- Built in Search Facility
- Thumbnail View
- SD Card slot
- Photo Grid Picture View
- Auto Scan HDD feature "Music" "Photo" "Movie"
- Media Library - Multiple view options
- Photo slide show with background music
- Modern slim-line modern Remote Control



Specifications

Processor: Realtek RTD1055 - 16MB NOR Flash - 128MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG-1/3 / MPEG-4 SP /ASP /AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD Passthrough / DTS - DTS-MA Passthrough to Core 5.1 / Dolby AC3 Downmix & Passthrough / FLAC up to 24bit 192Khz / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG

File System Supported: FAT32, NTFS

Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p. 24hz

Contents: MED200X, RC, 2 x AAA Batteries, AC Adapter, AV Cables, User Instructions.

Specifications subject to change without notice.

Input / Output

- HDMI 1.3, Composite Video
- Stereo RCA audio for analog audio connection
- SD / Sony Pro Duo Card Slot
- SPDIF Optical Output
- USB - 2.0 HOST port x 2

General

- Fanless design • Media Search Facility • Thumbnail View
- Auto Scan HDD feature "Music" "Photo" "Movie"
- Firmware Update via USB
- Photo slide show with background music
- On-screen Music Playlist function
- On-screen Photo Album function
- File Manager
- Subtitle: SRT, SSA, SUB, SMI format
- Size: 140 X 105 X 36 mm




Playlist Creation



Media Search



Thumbnail View



MED200X
High Definition Multimedia Player
MED8R™

Great quality without all the fuss



MED300X

The MED300X was developed by Sanji for those who demand the best in picture and audio without all the fuss. Simple yet very functional in operation and design. The MED300X offers a very low cost solution for users who want a Multimedia Player that is ideal for large size internal 3.5" Hard Drives and hosting of external USB Hard Drives.



- Internal Hard Drive Bay - up to 2TB
- Low Noise Fan - Anti-Vibration TPE Mounts
- Metal chassis - solid design
- Built in Search Facility
- Thumbnail View
- SD Card slot
- Photo Grid Picture View
- Auto scan HDD feature "Music" "Photo" "Movie"
- Media Library - Multiple view options
- Photo slide show with background music
- Modern slim-line modern Remote Control



Specifications

Processor: Realtek RTD1055 - 16MB NOR Flash - 128MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG-1/3 / MPEG-4 SP / ASP / AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD Passthrough / DTS - DTS-MA Passthrough to Core 5.1 / Dolby AC3 Downmix & Passthrough / FLAC up to 24bit 192Khz / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG

File System Supported: FAT32, NTFS

Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p. 24hz

Contents: MED300X, RC, 2 x AAA Batteries, AC Adapter, AV Cable, USB Cable, HDMI Cable, User Instructions.

Specifications subject to change without notice.

Input / Output

- HDMI 1.3, Composite Video
- Stereo RCA audio for analog audio connection
- SD / Sony Pro Duo Card Slot
- SPDIF Optical Output & Co-Ax Digital Audio Output
- USB - 2.0 HOST port x 2
- USB - 2.0 SLAVE port x 1

General

- Built in 40mm cooling fan - TPE mounts for low noise
- Media Search Facility • Thumbnail View
- Auto Scan HDD feature "Music" "Photo" "Movie"
- Resume playback feature
- Firmware Update via USB
- Photo slide show with background music
- On-screen Music Playlist function
- On-screen Photo Album function
- File Manager Copying - Card, USB, and Network
- Subtitle: SRT, SSA, SUB, SMI format
- Size: 140 X 105 X 36 mm



WiFi™

WiFi Ready

Optional Network/Internet
WiFi Dongle Plus Base



Available 2011 Q1

Internal Hard Drive (Optional)



Playlist Creation



Media Search



Thumbnail View



HDMI™
HIGH DEFINITION
CABLE INCLUDED



MED300X
High Definition Multimedia Player
MED8R™

The true performer compact and powerful



MED400X MINI

The MED400X MINI is based on the award winning MED500X that has proved to be a winner with reviewers and users worldwide. The Mini offers a lower cost solution for users who want a compact Media Player that is ideal for travel, Network Streaming, and hosting of SD Cards and external USB Hard Drives.



- Fanless design
- Mede8er Video Wall
- Folder Lock (Pin Code)
- In folder JPEG preview feature
- Watched Movie Indicator
- Built in NFS Client
- SD Card slot
- Time Bar FF/FR and Time Bar jump
- Photo slide show with background music
- Autoplay feature - Digital Signage



Specifications

Processor: Realtek RTD1073DD+ - 128MB SPI Flash - 128MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG1-3 / MPEG-4 SP /ASP /AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD Passthrough / DTS - DTS-MA Passthrough to Core 5.1 / Dolby AC3 Downmix & Passthrough / FLAC up to 24bit 192Khz / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG

File System Supported: FAT32, NTFS

Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p. 24hz

Contents: MED400X, RC, 2 x AAA Batteries, AC Adapter, AV Cables, User Instructions.

Specifications subject to change without notice.

Input / Output

- HDMI 1.3, Composite Video
- Stereo RCA audio for analog audio connection
- SD / Sony Pro Duo Card Slot
- RJ45 Network Connector
- SPDIF Optical Output
- USB - 2.0 HOST port x 2

General

- Fanless design • Mede8er Video Wall • Watched Movie Indicator
- Folder Lock (Pin Code) • Built in NFS Client • Time Bar FF/FR
- In folder JPEG preview feature • Easy navigation button use
- Resume playback feature • Firmware Update via USB
- Photo slide show with background music
- Network - Ethernet 10/100 Mbps • Optional Wi-Fi (802.11b/g/n)
- A/V streaming via UPnP Media Server
- Internet Radio (SHOUTcast)
- File Manager Copying - Card, USB, and Network
- Subtitle: SRT, SSA, SUB, SMI format
- Size: 140 X 105 X 36 mm



WiFi Ready

Optional MED10WFB
WiFi Dongle Plus Base




Folder Lock



Watched Indicator



Video Wall



MED400X MINI
High Definition Multimedia Player



The peoples choice the professionals choice



MED500X LIGHT

The Mede8er MED500X has been designed for good solid media playback from a hard drive, USB device, SD Card, Internet or Local Network source. The User Interface is neat and intuitive without being complicated. The MED500X has received numerous awards worldwide and has become the peoples choice and the professionals choice for the best value for money Media Player available today.



- Internal Hard Drive Bay Up to 2TB
- Low Noise Fan - Anti-Vibration TPE Mounts
- Metal chassis - solid design
- New Video Wall
- SD Card slot
- Photo Grid Picture View
- Internet Radio (SHOUTcast)
- Network - Ethernet 10/100 Mbps
- Optional Wi-Fi (802.11b/g/n up to 300Mbps)
- Samba server - NAS storage
- Photo slide show with background music



Specifications

Processor: Realtek RTD1073 DD+ - 128MB SPI Flash - 128MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG-1 / MPEG-2 / MPEG-4 SP/ASP/AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD Passthrough / DTS MA Passthrough to Core 5.1 / Dolby AC3 Downmix & Passthrough / DTS Downmix & Passthrough / FLAC up to 24bit 192Khz / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG

File System Supported: FAT32, NTFS

Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p. 24hz

Contents: MED500X, RC, 2 x AAA Batteries, AC Adapter, AV Cable, USB Cable, HDMI Cable, User Instructions.

Specifications subject to change without notice.

Input / Output

- HDMI 1.3, Component Video, Composite Video
- Stereo RCA audio for analog audio connection
- SD / Sony Pro Duo Card Slot
- SPDIF Optical - Co-Ax Digital Audio Outputs
- USB - 2.0 HOST port x 2
- USB - 2.0 SLAVE port
- RJ45 - Network Connector

General

- 3.5" SATA Internal Hard Drive Bay up to 2TB compatible
- Built in 40mm cooling fan - TPE mounts for low noise
- Video Wall • In folder JPEG preview feature
- Network - Ethernet 10/100 Mbps
- Optional Wi-Fi (802.11b/g/n up to 300Mbps)
- Samba server - NAS storage • UPnP • NFS client
- Internet Radio (SHOUTcast)
- File Copying - Card, USB, HDD and Network
- Subtitle: SRT, SSA, SUB, SMI format
- Size: 225 X 160 X 60 mm



Optional MED10WFB
WiFi Dongle Plus Base



Internal Hard Drive (Optional)



Folder Lock



Watched Indicator



Video Wall



HDMI™
HIGH DEFINITION
CABLE INCLUDED



MED500X LIGHT
High Definition Multimedia Player

MED8R™

Great cover art easy with Y2M



Its never been so simple to make rich graphic cover art for your Movie and Series collections. Now with the easy to use interface of Y2M (YAMJ To Mede8er) you can make cover art and synopsis images suitable for the Mede8er. Just fill in a few details and leave Y2M to do the rest. Y2M works in a batch mode and can run your whole collection at once. The software runs on Windows PC's and requires that you have an active Internet connection in order to scrape the cover art information.



- Batch Process
- Ideal for Mede8er Video Wall artwork
- Uses YAMJ's powerful scraping ability
- Optimized for Mede8er
- Free for the Mede8er



Y2M
High Definition Multimedia Player
MEDE8ER™



FUNCTION	MED500X LIGHT	MED400X MINI	MED300X	MED200X
Processor	REALTEK 1073 DD+	REALTEK 1073 DD+	REALTEK 1055	REALTEK 1055
Flash Memory	128MB	128MB	16MB	16MB
DDR RAM	128MB	128MB	128MB	128MB
Maximum Hard Drive size	2TB	--	2TB	--
Low noise fan with special anti vibration mounts	Yes	Fanless	Yes	Fanless
Front casing navigation buttons	Yes	No	No	No
USB Slave port	Yes	No	Yes	No
USB Host port	Yes	Yes	Yes	Yes
HDMI v1.3 output	Yes	Yes	Yes	Yes
Component Video output	Yes	No	No	No
Composite Video output	Yes	Yes	Yes	Yes
SPDIF Optical Digital Audio output	Yes	Yes	Yes	Yes
NAS function	Yes	No	No	No
Internet Radio	Yes	Yes	No	No
Co-Axial Digital Audio output	Yes	No	Yes	Yes
Analogue Audio outputs (RCA)	Yes	Yes	Yes	Yes
Power Adapter	12V 2A	5V 2.4A	12V 2A	5V 2.4A
RJ45 10/100 Network Connector	Yes	Yes	No	No
HDMI Cable Supplied	Yes	No	Yes	Yes
AV Cables Supplied	Yes	Yes	Yes	Yes
Remote Control	RC91	RC91	RC77	RC77
<i>Software Features</i>				
Folder Lock Protect	Yes	Yes	No	No
Watched Indicator	Yes	Yes	No	No
Video Wall	Yes	Yes	No	No



The Greatest Show On Earth